

# Subject Index

## A

Abstinence syndrome 243  
 Acetylcholine release 151  
 Acetylcholinesterase 43  
 Acute schizophrenia 157  
 Acute spinal rats 13  
 Aggression 233  
 Aggressive behavior 135, 233  
 Alcohol 141, 213  
 Alertness level 237  
 Alpha-methyl-p-tyrosine 177  
 Alpha MSH 165  
 Aminophylline 203  
 Amphetamine 19, 35, 49, 75  
*d*-Amphetamine 129, 173, 183, 195, 237  
*dl*-Amphetamine 67  
 Amphetamine  
   — isomers 83  
   — toxicity 83  
 Amphetaminelike stimulants 87  
 Anaesthesia 103  
 Analgesia 177  
 Anorexigens 27  
 Antidepressants 9, 87  
 Apomorphine 35, 49, 67, 87, 135, 177  
 Arousal 97

## B

Barbiturates 87  
 Behavior 1  
 Beta MSH 165  
 Blood alcohol concentration 213  
 Brain 1

## C

Calcium 151  
 Calcium-morphine interaction 151  
 Cannabidiol 103, 263  
 Cannabinol 103  
 Cannabis sativa 263  
 Carbachol 233  
 Catecholamines 1, 203  
 Cats 233, 237  
 Caudate nucleus 35, 135  
 Central catecholamines 251  
 Chlordiazepoxides 195  
*p*-Chloroamphetamine 109  
 6-Chloro-2-(1-piperazinyl)-pyrazine 27  
 Chlorpromazine 75, 97, 195  
 Cholinergic and catecholaminergic  
   effects 187  
 Cholinergic nervous system 43  
 Cholinoceptive mechanisms 233  
 Cholinolytics 87  
 Chronic ethanol treatment 75  
 Chronic spinal rats 13

Chronic treatment 225  
 Chronopharmacology 61  
 Circadian rhythm 61  
 Circling behavior 53  
 Clustering 257  
 CNS 187  
 Conditioned taste aversion 183  
 Contingent negative variation 165  
 Craniocervical traumatism 251

## D

DA metabolism 109  
 Ditrin 237  
 Dopamine 49, 115  
   — blocker 157  
 L-Dopa 203  
 Discriminative stimulus 19  
 Driving skill 9  
 Drug action 225  
   — dependence 129  
   — interactions 103

## E

Ephedrine 115, 203  
 Ethanol (alcohol) 203  
 Ethanol-drug interaction 203  
 Exploratory behavior 67

## F

Fear and irritable kinds of aggression  
   233  
 Fenfluramine 27, 129, 173  
 Fixed ratio 213  
 Flexor reflex 13

## G

Globus pallidus 135  
 Gross behavior 147  
 Guinea pigs 49

## H

Haloperidol 67  
 Hamsters 195  
 Hole board 67  
 5-HT 61  
 5-HTP 13  
 Human intoxication 203  
 Human subjects 9, 97, 121, 141, 157,  
   165, 203, 257  
 6-Hydroxydopamine 53, 147  
 5-Hydroxytryptamine metabolism 217  
 5-Hydroxytryptophan 49  
 Hyperkinesis 187  
 Hypersensitivity 49  
 Hypothalamus 135

## I

Imipramine 9, 251  
 Indole derivative 53  
 Intraventricular injections 233

## L

Lead toxicity 187  
 LH 173  
 Locomotor activity 75  
 Loud noise 97  
 LSD 13  
 LSD-25 237

## M

Marijuana 257  
 Medial forebrain bundle 53  
 Melanotropic hormones 165  
 Memorization 251  
 Memory 141, 165  
 Mescaline 147  
 Mesencephalic reticular formation 187  
 Methylphenidate 187  
 Methysergide 49  
 Mice 43, 87, 103  
 MK-212 27  
 Monkeys 213, 225  
 Mood 121, 165  
 Morphine 151, 177, 183, 243  
 Motor activity 27, 109  
 Motor behavior 237  
 Multi-trial free recall 257  
 Muscarine and carbachol 233  
 Muscle weakness 83

## N

Naloxone 147  
 NE metabolism 109  
 Nerve function 1  
 Neuroleptics 49, 87  
 Neurotransmitters interactions 53  
 Newly synthesized CA 1  
 Nicotine 19  
   — model 187  
 Nigro-striatal pathway 53  
 Nociception 147  
 Noradrenaline 183  
 Nucleus accumbens 35

## O

6-OHDA 183  
 6-OHDA lesions 35  
 Open-field behavior 129  
 Oxazepam 195  
 Oxotremorine 187

## P

Penfluridol 157  
 Peptides 165

Performance 165  
Personality 9  
Phenmetrazine 129  
Physical dependence 243  
Physostigmine 43  
Pictures and words 257  
Probenecid 217  
Prolactin 173  
Propranolol 75  
Psychotropic drugs 87

**Q**

Quantitative ECoG 237

**R**

Rabbits 147  
Rat brain 217  
Rats 13, 19, 27, 35, 53, 61, 67, 75, 83, 109,  
115, 129, 135, 151, 173, 183, 187, 217,  
243, 251, 263

Rhesus macaque 225  
Rolandic mu rhythms 237  
Rotarod 75  
— performance 83  
Rotational behavior 35

**S**

Schizophrenia 115  
Screening test 87  
Sedative effect 61  
Self administration 27  
Septum 135  
Serotonin 49, 109  
Sexual behavior 195  
Sleep 121  
— organization 225  
Slow-wave sleep 263  
Somatic area I 237  
State-dependent learning 141  
Stereotyped behavior 67, 129

Stimulant psychoses 115  
'Stored' CA 1  
Subjective organization 257  
Substantia nigra 135  
Supersensitivity 187

**T**

Tetrabenazine 61  
THC 243  
 $\Delta^9$ -THC 103  
Tolerance 43, 109, 177, 213, 243  
— development 75  
Tricyclic antidepressants 217  
Tryptamine 13

**V**

Viloxazine 9, 121

**W**

Wakefulness 263

## Advice to Authors

The illustrations that will appear in your contribution will be shown to best advantage if you follow the brief set of instructions below. Please read carefully. Thank you.

The Publisher

### Preparation of Line Drawings


Illustration copy should be prepared to fit the format of the printed page (print area) so that 1 : 1 reproduction is possible. Where reduction is necessary, please state the desired scale.

Drawings are to be twice the final size and executed in indelible black ink.


Important points to note: thickness of lines, size of inscriptions, size of measuring points, adequate spacing of shaded and dotted areas.

Words should be in upper and lower case characters, not CAPITALS.


The following are optimal sizes as they appear in the journal:  
Capital letters and numbers: 2 mm  
Lower-case letters: 1.6 mm.




①



samples 1 to 5 show  
the original size and  
reduction  $\times 50\%$



③



④

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
1234567890 1.5° III IV VIII IX ∞ % ≈  
[( = + x ÷ ! ? : " ' , ) ] (A) (B) (a) (b)

⑤

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
1234567890 1.5° III IV VIII IX ∞ % ≈  
[( = + x ÷ ! ? : " ' , ) ] (A) (B) (a) (b)

**Selection of Illustration Material for Halftones** (photographs, micrographs, X-rays, instrument traces etc.).






Photographs should be sharp, well-contrasted glossy prints of the original negative, trimmed at right angles. Halftone illustrations should be prepared to fit the format of the printed page (print area) so that 1 : 1 reproduction is possible. But if reduction is absolutely necessary, please state the desired scale.

Mark or crop marginal portions which are not required (at right angles, please).

Please see that illustrations that are to appear together are mounted accordingly as plates and that they correspond. Also they should not exceed the print area of the page, including room for the legend.

With X-rays, please indicate the significant parts on the back of the copy, or on an overlay.

Inscriptions, marks and scale lines should preferably be drawn neatly in black ink in an appropriate size on the face of the illustrations. Inscriptions should be about 3 mm high. Where Letraset is used, please handle it carefully and protect the photographs with an overlay.



# Handbuch der experimentellen Pharmakologie

## Handbook of Experimental Pharmacology

Heffter-Heubner/New Series

Herausgeber: G.V.R. Born, O. Eichler, A. Farah,  
H. Herken, A.D. Welch

BAND 45  
TEIL I UND II

# Drug Addiction

Editor: W.R. Martin

This two-volume work addresses the problem of drug addiction from several points of view which are quite unique and different from other areas of pharmacology. In two individual parts all major scientific, medical and social issues are treated that bear on problems of drug abuse. The abuse of narcotic analgesics, weak analgesics, amphetamines, barbiturates, alcohol, LSD-like hallucinogens and marijuana is discussed. Attempts are made to identify the major social issues that have given rise to concern about drug abuse. Further, attention has been given to the chemotherapy and psychotherapy of narcotic addiction. The basic modes of actions of drugs of abuse are reviewed. Methods for identifying drugs with abuse potential are also described and there are discussions of the principles underlying these methods and their validity. There are discussions of the pathophysiology and psychopathology of addictive processes. Finally, the literature concerning the modes and sites of actions of narcotic analgesics, weak analgesics, barbiturates, alcohol, amphetamines and LSD-like hallucinogens is reviewed in detail in man and in animals with the end of understanding why these drugs are abused, what pathologic changes their abuse causes, and how a rational attack on treating these diseases can be formulated.

## Drug Addiction I

Morphine, Sedative-Hypnotic and Alcohol Dependence

With contributions by H.T. Conrad, H.F. Fraser,  
C.W. Gorodetzky, D.R. Jasinski, P. Kielholz, L. Ladewig,  
W.R. Martin, N.K. Mello, J.H. Mendelson, J.W. Sloan,  
C.M. Smith

29 figures. Approx. 720 pages. 1977  
Cloth DM 225,-; US \$ 103.50  
Prepublication price Cloth DM 180,-; US \$ 82.80  
ISBN 3-540-08170-4

**Contents:** Problems of Drug Dependence.—General Problems of Drug Abuse and Drug Dependence.—Morphine Dependence.—Neuropharmacology and Neurochemistry of Subjective Effects, Analgesia, Tolerance and Dependence Produced by Narcotic Analgesics.—Assessment of the Abuse Potential of Narcotic Analgesics in Animals.—Assessment of the Abuse Potentiality of Morphine Like Drugs (Methods Used in Man).—Psychiatric Treatment of Narcotic Addiction.—Chemotherapy of Narcotic Addiction.—Detection of Drugs of Abuse in Biological Fluids.—Sedative-Hypnotics and Alcohol Dependence.—The Pharmacology of Sedative-Hypnotics, Alcohol, and Anesthetics: Sites and Mechanisms of Action.—The Assessment of the Abuse Potentiality of Sedative-Hypnotics. (Depressants) (Methods Used in Animals and Man).—Clinical Aspects of Alcohol Dependence.—Abuse of Non-Narcotic Analgesics.

## Drug Addiction II

Amphetamine, Psychotogen and Marihuana Dependence

With contributions by E. Änggard, W.L. Dewey, J.D. Griffith, L.-M. Gunne, L.S. Harris, T. Lewander, W.R. Martin, R.J. Razdan, J.W. Sloan

14 figures. Approx. 650 pages. 1977  
Cloth DM 190,-; US \$ 87.40  
Prepublication price Cloth DM 152,-; US \$ 70.00  
ISBN 3-540-08334-0

**Contents:** Amphetamine and Psychotogen Dependence.—General Pharmacology of Amphetamine-Like Drugs.—Pharmacokinetics and Metabolism.—Effects of Amphetamine in Animals.—Effects of Amphetamine in Humans.—Amphetamine Dependence; Clinical Features.—Pharmacology and Classification of LSD-like Hallucinogens.—Marihuana Dependence.—Cannabis. Its Chemistry, Pharmacology, and Toxicology.—Author index.—Subject index.

Prices are subject to change without notice

Springer-Verlag  
Berlin  
Heidelberg  
New York



1232/4/1

# EUROPE: Now you can search ISI® data ON-LINE through ESA-SDS



You now can have immediate access via the ESA-SDS computer to 1,300 of the world's most important physics, chemistry and engineering journals—the same journals covered in the *Science Citation Index*®, *CC*®/Physical & Chemical Sciences and *CC*/Engineering, Technology & Applied Sciences.

Whether you're interested in—

- current awareness
- selective dissemination of information
- retrospective searching as far back as 1972

—the ESA-SDS computer will search the ISI data, find the information you want and deliver it *fast*.

All you need for this quick, on-line searching is a teletype or video-display terminal. You dial a number and are linked to the ESA-SDS central computer in Frascati, Italy.

ESA-SDS may be accessed by direct line with Frascati or by dialing through the PTT network to London, Brussels, Paris, Copenhagen, Darmstadt, or Rome. You can also dial via PTT lines to TYMESHARE in Brussels, Paris, Lausanne, London, or The Hague.

Find out more about how ISI data and ESA-SDS can make your literature searches faster, easier and more effective than ever before.

Mail the coupon below. Or contact David Raitt at the Space Documentation Service, ESA-SDS, Via Galilei, 00044 Frascati (Roma), Italy. Tel.: (Rome) 94 22 401; Telex: 61637 ESRINROM. Do it today.

☐ EUROPE ☐ EUROPE ☐ EUROPE ☐ EUROPE ☐

I would like to learn more about the ISI® data base accessible through ESA-SDS.

☐ Name \_\_\_\_\_  
(Please print or type)

☐ Organization \_\_\_\_\_

☐ Position \_\_\_\_\_

☐ Address \_\_\_\_\_

☐ Country \_\_\_\_\_

☐ Telephone \_\_\_\_\_

SP-487

**ISI®** Institute for  
Scientific Information®  
European Office  
132 High Street, Uxbridge, Middlesex, U.K.  
Tel: Uxbridge 30085. Telex: 933693



H